

NASA/GSFC/WFF Magazine Area EMERGENCY PLAN



Issuing Organization: Code 810

Issuing Organization Code: Code 810

Effective Date: October 7, 2011

Expiration Date: October 7, 2012

EMERGENCY ACTION PLAN

NASA/GSFC/WFF Magazine Area

This document applies to all buildings within NASA Wallops Flight Facility Magazine Area, including buildings M15, M16, M20, M22, as well as Earth Covered Bunkers M09, M10, M11, M12, M14, and the loading dock, M27. Operations with hazardous materials are performed throughout the area, and apply.

The intent of this Plan is to provide guidance in performance of mission tasks, as well as to provide contingency planning for emergency events.

Primary consideration is the health and welfare of personnel working within the magazine area. This area, whether permanently or temporarily assigned, or performing maintenance to support the area.

All personnel not escorted within Wallops Flight Facility Magazine Area are to be made aware of conditions and operations within the area and exercise caution while inside the magazine area.

NASA/GSFC/WFF Magazine Area EMERGENCY PLAN



Issuing Organization: Code 810

Issuing Organization Code: Code 810

Effective Date: October 7, 2011

Expiration Date: October 7, 2012

Building Emergency Plan NASA/GSFC/WFF Magazine Area

(This document includes buildings M 09, M 10, M 11, M 12, M14, M 15, M 16, M 20, M 22, and M 27)



National Aeronautics and
Space Administration

Goddard Space Flight Center
Greenbelt, Maryland

NASA/GSFC/WFF Magazine Area EMERGENCY PLAN



Issuing Organization: Code 810

Issuing Organization Code: Code 810

Effective Date: October 7, 2011

Expiration Date: October 7, 2012

TABLE OF CONTENTS

Introduction

1. Emergency Notification Systems

- 1.1 Alarm Systems
- 1.2 Other Emergency Notification Systems

2. Types of Emergency Situations

- 2.1 Fire, Visible Smoke, Sprinkler Activation, or Explosion
- 2.2 Medical Emergency
- 2.3 Indoor Chemical Spill
- 2.4 Suspicious Package (possible explosive device or contaminated package/letter)
- 2.5 Threat of an Explosive Device
- 2.6 Outdoor Atmospheric Hazard
- 2.7 Weather-Related Emergencies
- 2.8 Other Emergencies

3. Occupant Response Procedures

- 3.1 Evacuation Routes and Assembly Areas
- 3.2 Fire, Visible Smoke, Sprinkler Activation, or Explosion
- 3.3 Medical Emergency
- 3.4 Indoor Chemical Spill
- 3.5 Suspicious Package (possible explosive device or contaminated package/letter)
- 3.6 Threat of an Explosive Device
- 3.7 Outdoor Atmospheric Hazard
- 3.8 Weather Related Emergencies
- 3.9 Other Emergencies
- 3.10 Procedures for Persons with Disabilities

4. Incident Management Responsibilities

- 4.1 Facilities Operations Manager
- 4.2 Building Warden
- 4.3 Floor and Area Wardens
- 4.4 GSFC Security Office
- 4.5 Facilities Management Division
- 4.6 Additional Support Organizations

5. Review and Validation

Attachments:

1 – BOMB THREAT INSTRUCTIONS

2 – CRITICAL OPERATIONS REQUIRING IMMEDIATE ACTION PRIOR TO EVACUATION

3 – EMERGENCY ACTION PLAN posted

4 – Building Floor Plan M-15, M-16

5 – Building Evacuation Floor Plans M-15, M-166- Overview of Wallops Flight Facility Magazine

Area showing Primary and Secondary Rally Points

NASA/GSFC/WFF Magazine Area EMERGENCY PLAN



Issuing Organization: Code 810

Issuing Organization Code: Code 810

Effective Date: October 7, 2011

Expiration Date: October 7, 2012

Introduction

This document describes the actions and responses required during emergencies affecting Wallops Flight Facility (WFF) Buildings M 09, M 10, M 11, M 12, M 14, M 15, M 16, M 20, M 22, and M 27. All occupants and frequent visitors of this building must be familiar with these procedures to ensure protection of personnel and property.

Personnel permanently or temporarily assigned, or normally accessing NASA/GSFC/WFF Magazine Area will receive a MAGAZINE INBRIEF by the FOM or Alternate.

1. Emergency Notification Systems: How will I know if something is wrong?

GSFC has developed several methods for communicating emergency information. Emergencies may be localized, such as an injured person, or Center-wide. Report all emergencies by calling 911.

1.1 Alarm Systems

1.1.1 Evacuation Alarms

Buildings within GSFC/WFF Magazine area are equipped with emergency operations alarms. These alarms will sound as an air raid style audible alarm. Evacuation alarms are activated when a red push button is pressed. These EOP push buttons are located in M 15, M 16, M 20 and M 22.

1.1.2 Local Hazard Alarm

Many areas within GSFC/WFF Magazine areas are equipped with local hazard alarms. These alarms will typically sound as a continuous loud buzzer or horn. A local hazard alarm indicates that an unsafe condition is developing and needs to be investigated by persons familiar with the area and operations. Local hazard alarms are usually activated by smoke detectors but may also be associated with chemical detection systems and special processing equipment. METASYS system controls and monitors Buildings M15, M 16, M 20, and M 22 for Fire and smoke, within set parameters. This automated system is monitored at the Emergency Operations Center. In addition, Fire Alarm Pull Stations are mounted in the previously listed buildings.

1.2 Other Emergency Notification Systems

1.2.1 Management Notification Process

Notification and direction for special situations are provided via telephone through the Center management structure.

1.2.2 Email Notification

NASA/GSFC/WFF Magazine Area EMERGENCY PLAN



Issuing Organization: Code 810

Issuing Organization Code: Code 810

Effective Date: October 7, 2011

Expiration Date: October 7, 2012

Notification and direction for special situations is provided via e-mail 'blaster.' Email notification is often used in conjunction with the management notification process.

1.2.3 Verbal Notification

Notification is accomplished through the Building Wardens, and/or safety and security personnel. Verbal notification is typically used when very specific actions are required in a limited area (a single building or part of a building).

2. Types of Emergency Situations: What types of emergencies might occur at GSFC/WFF?

In the event of visible smoke, fire, medical emergency, chemical spill, suspicious package, and a threat of an explosive device, please call 911.

2.1 Fire, Visible Smoke, Sprinkler Activation, or Explosion

There are many potential sources of fire, smoke or explosions. GSFC has incorporated a number of safeguards against injury of our people into the design and maintenance of our buildings. These include fire sprinkler systems, automatic building evacuation alarms, manually operated evacuation alarms, smoke detectors in special hazard areas, and fire walls. These safeguards limit the ability of fires to spread throughout a building.

2.2 Medical Emergency

Primary consideration in any emergency will be to the employee. If the medical emergency occurs during an emergency event (i.e. fire, explosion, etc.), is evacuation from the hazardous environment, to the primary (M24) or secondary (south parking lot F10) rally points.

2.2.1 MINOR MEDICAL EMERGENCY: In the event of a minor medical emergency, one employee will escort the afflicted party to NASA Wallops Health Unit, located in building F160, extension 2008, or outside phone line 757-824-3400.

2.2.2 MAJOR MEDICAL EMERGENCY: In the event of major medical emergency, one employee will stay with the victim, rendering aid to the best of their abilities. Another employee will notify Emergency Services at x911, and ensure emergency response can access the magazine area unhindered.

2.3 Indoor Chemical Spill

GSFC/WFF uses a variety of chemicals and hazardous materials in accomplishing our mission. Safeguards are incorporated into buildings and operations to minimize the potential and severity of an

NASA/GSFC/WFF Magazine Area EMERGENCY PLAN



Issuing Organization: Code 810

Issuing Organization Code: Code 810

Effective Date: October 7, 2011

Expiration Date: October 7, 2012

accident. Safeguards include minimizing the quantities of chemicals stored, special storage cabinets, safe handling procedures, and training for users.

2.4 Suspicious Package (possible explosive device or contaminated package/letter)

GSFC's secure perimeter makes it a difficult target for the placement of explosives. However, packages are discovered onsite periodically that cannot be accounted for (the owner is not known). If a package is discovered within the magazine area, and ownership and/or contents are not easily identified, the location is immediately evacuated, and 911 is called. The individual that discovered the item is to make himself/herself available to emergency responders for identification of the item, and specific location of the item, including hazardous material proximately that could increase the hazard.

2.5 Threat of an Explosive Device

Threats are generally received by telephone, but may also be received in writing, e-mails or even face-to-face.

2.6 Outdoor Atmospheric Hazard (e.g., Chemical Vapor Cloud)

Outdoor atmospheric hazards can occur from accidental causes or can be intentionally created. The most common causes are accidental releases which may come from a GSFC/WFF operation or from offsite (overturned tanker).

2.7 Weather-Related Emergencies

All explosive operations will cease in the event of Weather-related base closure.

Other weather events and response are as follows:

2.7.1 Lightning:

2.7.1.2 When base weather office identifies lightning potential within 15 nautical miles, all explosive operations will come to a safe and expeditious halt. The ordnance will be grounded or stored as applicable. The magazine area will be evacuated, and all personnel will be accounted for. The FOM will ensure all personnel are evacuated from the magazine area.

2.7.1.3 When base weather office identifies lightning potential within 10 nautical miles, all personnel will immediately evacuate the magazine area, and all personnel will be accounted for. The FOM will ensure all personnel are evacuated from the magazine area.

2.7.2 Indicators: The base weather office will notify F16 help desk, which will make a base-wide announcement. In addition, all hand held radios and base voice paging system will be used to inform personnel of inclement weather.

2.8 Other Emergencies

Emergencies not specifically defined above need to be considered when planning and defining emergency actions. *[If there are any other hazard situations unique to your building, identify them here.]*

NASA/GSFC/WFF Magazine Area EMERGENCY PLAN



Issuing Organization: Code 810

Issuing Organization Code: Code 810

Effective Date: October 7, 2011

Expiration Date: October 7, 2012

3. Occupant Response Procedures: What do I do if something is wrong?

3.1 Evacuation Routes and Assembly Areas

Evacuation of all explosive storage and processing buildings within the magazine area, in order to provide safe separation outside quantity/distance. All personnel evacuate to the primary evacuation area ("rally point"), M24. If conditions exist that M24 is dangerous to assemble, secondary evacuation area will be the South Parking lot of building F10. ALL PERSONNEL WILL BE ACCOUNTED FOR

3.2 Fire, Visible Smoke, Sprinkler Activation, or Explosion

3.2.1. **If the building evacuation alarm sounds** or you are told by management or Floor Wardens to evacuate, do so immediately.

- Avoid areas of obvious hazard.
- Know your alternate exit routes.
- Secure critical operations, hazardous materials and classified information.
- Close office doors.
- Report to your primary assembly area, M 24 parking lot, or secondary area, south parking lot building F 10, as shown in Attachment 1.
- Provide your management and Warden with information on coworkers that were not in the building at the time of the emergency.
- Remain in the assembly area until released.
- Do not reenter the building until the on-scene Incident Commander (see 4.4) authorizes reentry.

3.2.2 **If you witness a Fire, Visible Smoke, Sprinkler Activation, or Explosion –**

- Notify other persons in the area.
- Initiate an evacuation of the building.
- If you have received training in the use of fire extinguishers within the past year, attempt to extinguish small, incipient fires.
- Report information to your building warden and the Incident Commander.

3.2.3 **If you witness a fire that has been extinguished –**

- If there is visible smoke, leave the area and initiate a building evacuation.
- Immediately call 911 and relay all related information.

3.2.4. **Critical Operations – N/A**

NASA/GSFC/WFF Magazine Area EMERGENCY PLAN



Issuing Organization: Code 810

Issuing Organization Code: Code 810

Effective Date: October 7, 2011

Expiration Date: October 7, 2012

3.2.5 Special Operations – This relates to all hazardous operations in building M 15, as well as ordnance movements throughout the magazine area.

Hazardous materials processes in building M 15 preclude immediate evacuation. In the event of emergency conditions during hazardous material processes, the minimum personnel to safe the operation will remain to vent pressure, lower suspended loads, or ground ordnance. All other personnel will evacuate Building M 15, and assemble at the designated rally point, and report to the FOM/On Scene Commander. IF THE CONDITION OF IDLH (IMMEDIATE DANGER TO LIFE OR HEALTH) EXISTS, then evacuation of all personnel is mandatory, regardless of hazardous conditions. The OSS will dictate these requirements.

These delayed evacuations are addressed in Attachment 2, and shall as a minimum follow the following procedures. Persons authorized to delay evacuation to secure operations shall:

- Practice the “buddy system” at all times.
- Ensure that the Incident Commander is aware of their activity and location.
- Immediately evacuate if there is any indication of imminent hazard (e.g., fire or smoke encroaching on their designated area or exit paths).
- Immediately evacuate if the operations they support do not require their presence.

3.3 Medical Emergency

If there is an medical emergency in the area:

- Call 911 for emergency medical assistance.
- Verify that any hazards are controlled or isolated to prevent further injury.
- Provide assistance and information to responders, and
- Once information has been provided, stay clear of the immediate area.

3.4 Indoor Chemical Spill

3.4.1 If an indoor spill occurs:

- Users are authorized to clean up spilled materials when the cleanup can be accomplished within the limits of their personal protective equipment and training. (Chemical users are able to make this determination if they have received specific hazard training on the chemicals they use and the available personal protective equipment.)
- The affected areas of the spill shall be cleared of personnel and isolated from access.
- The spill shall be immediately reported to 911 with all relative information including materials involved, amount spilled, effects on building and occupants, and injured persons.
- Follow the direction of the wardens and emergency responders.

3.4.2 Chemical Alarms – N/A

NASA/GSFC/WFF Magazine Area EMERGENCY PLAN



Issuing Organization: Code 810

Issuing Organization Code: Code 810

Effective Date: October 7, 2011

Expiration Date: October 7, 2012

3.5 Suspicious Packages

3.5.1 Possible Explosive Device – If a suspicious package is identified:

- Clear and isolate the immediate area.
- Call 911 and report all related information.
- Follow the direction of the wardens and emergency responders.
- The individual reporting the package will make themselves available to the FOM/On Scene Commander. Remember package composition, markings, etc.

3.5.2 Possible Contaminated Letter or Package – If a suspicious package is identified that may be contaminated with a hazardous or biological material:

- Do not shake or further inspect the letter or package.
- Do not touch, taste or sniff the material.
- Do not move the letter or package around or show it to others.
- If you are holding the letter or package, carefully put it down on a stable surface.
- Leave the area and isolate the area by closing the door or notifying coworkers to stay clear.
- Wash hands with soap and water.
- Call 911 and report related information.
- Provide information to the responders including names of all persons in the area of or having contact with the letter or package.

3.6 Threat of an Explosive Device

3.6.1 If you receive a threat:

- Remain calm.
- Complete the Bomb Threat Instructions form at the back of this BEP.
- Report the threat to 911.
- Relay information to responders and be prepared to be interviewed.
- If, in your opinion, the threat could be credible, initiate an evacuation, via phone, to all personnel within the magazine area. Contact 911 from primary evacuation point (x5083), and provide information to the One Scene Commander. Contact program Manager, x1484, to report.
- Ensure all personnel are evacuated from the magazine area, or are accounted for.

3.6.2 If a threat has been received for your work area:

- Follow all instructions from wardens and responders.
- Relay all information about unusual activities, packages, or persons to the Wardens and Incident Commander.
- If, in your opinion, the threat could be credible, initiate an evacuation, via phone, to all personnel within the magazine area. Contact 911 from primary evacuation point, and provide information to the One Scene Commander. Contact Program Manager, x1484, to report.

NASA/GSFC/WFF Magazine Area EMERGENCY PLAN



Issuing Organization: Code 810

Issuing Organization Code: Code 810

Effective Date: October 7, 2011

Expiration Date: October 7, 2012

- Ensure all personnel are evacuated from the magazine area, or are accounted for.

3.7 Outdoor Atmospheric Hazard (e.g., Chemical Vapor Cloud)

3.7.1 Shelter-in-place – In certain cases, the best course of action to protect building occupants is to shelter-in-place. This applies to emergency conditions outside Wallops Flight Facility Magazine Area. Building occupants should:

- Follow all instructions from Building Wardens and responders
- Stay indoors
- Stay away from exterior doors

3.7.2 Special Evacuation Routes – In certain cases, it may be necessary to evacuate personnel by a specific route to prevent exposure to hazards. Building occupants should:

- Follow all instructions of wardens and responders
- Use the routes designated by the wardens and responders.
- Assemble at the locations designated by the wardens and responders.

3.8 Weather-Related Emergencies

In the event of a weather-related base shutdown the magazine area will be closed. No operations will take place.

In the event of weather-related emergencies, Attachment 2, CRITICAL OPERATIONS REQUIRING IMMEDIATE ACTION PRIOR TO EVACUATION, applies.

3.9 Other Emergencies

For emergencies not specifically addressed here, building occupants should follow the direction of the wardens and responders.

3.10 Procedures for Persons with Disabilities

In the event a person or persons with disabilities comes into the Magazine Area, two personnel will be assigned for each person, as escorts. These personnel will escort the person or persons.

- Buddy system: multi-person assignment, never leaving person alone.*
- At grade floor: proceed using buddy system to nearest at-grade exit.*

4. Incident Management Responsibilities: Who will help me?

4.1 Facilities Operations Manager (FOM)

NASA/GSFC/WFF Magazine Area EMERGENCY PLAN



Issuing Organization: Code 810

Issuing Organization Code: Code 810

Effective Date: October 7, 2011

Expiration Date: October 7, 2012

The FOM or his/her alternate has the authority to stop work or to evacuate the building if they believe that a significant danger to personnel or property exists. The FOM (or alternate) serves as the Building Warden for all areas.

4.2 Building Warden

The Building Warden is responsible for executing the NASA/GSFC/Wallops Flight Facility Magazine Area Emergency Action Plan. One or more alternate Building Wardens shall be designated for when the FOM is absent from the facility. The Building Warden will be stationed at the Primary Assembly Area M24. An Evacuation Checklist provides an accurate total of personnel remaining in the building and status of warden check-ins. In the event of a fire or other hazardous event which makes the Primary Assembly Area unusable, the Building Warden will relocate to the Alternate Assembly Area as described in Attachment 1. The Building Warden serves as the only direct link to the onsite Incident Commander and provides status reports to the Incident Commander based on information received from the Floor Wardens during all evacuation operations.

4.3 Floor and Area Wardens

Area Wardens are normally assigned to designated parts of the building and are directly responsible for that area in the event of an emergency. During an evacuation, the wardens are responsible for ensuring that all personnel in the area under their control are evacuated, including personnel who need assistance. They then proceed to their respective assembly areas and assist with crowd control.

Floor Wardens or designated personnel may be required to perform a sweep of the building at the Building Warden's request. A two-person team is required for all 'sweep' operations and for the recovery of personnel awaiting assistance in designated Refuge Areas. Trained responders from the Incident Command Post (see 4.4) may carry out the above operations.

See Attachment 3 for Building Floor Warden assignments and responsibilities.

4.4 GSFC/WFF Wallops Fire Department

The Wallops Fire Department provides on-site Incident Commanders for all emergencies. A Wallops Fire Department vehicle on scene with an identified firefighter (indicated by red helmet) becomes the NASA/GSFC Command Post for the incident, and the ranking on-scene Firefighter becomes the Incident Commander. The Incident Commander always stays at the Command Post vehicle during the emergency.

4.5 Facilities Management Branch (FMB)

FMB provides service for sprinkler systems and the fire/smoke alarm systems, and controls HVAC systems. The Wallops Fire Department operates the Emergency Console. The Emergency Console receives all emergency calls and makes the proper notifications. The console is the central point for all

NASA/GSFC/WFF Magazine Area EMERGENCY PLAN



Issuing Organization: Code 810

Issuing Organization Code: Code 810

Effective Date: October 7, 2011

Expiration Date: October 7, 2012

WFF radio communications. The Emergency Console remotely monitors all fire protection systems (fire detection and sprinklers systems) to initiate proper response to alarms and ensure they remain in service.

4.7 Additional Support Organizations

The Accomack County Sheriff's Department, Va State Police, Va. Marine Resources Commission and the Chincoteague Coast Guard, all provide emergency services in accordance with individual agency responsibility, authority and interagency agreements. Under certain conditions, any of the above could be asked to provide real-time assistance to the GSFC/WFF On-Scene Incident Commander.

5. Review and Validation

This document shall be reviewed and reissued annually according to configuration management procedures. If no changes are needed, it needs only a new approval signature and dates.

NASA/GSFC/WFF Magazine Area EMERGENCY PLAN



Issuing Organization: Code 810

Issuing Organization Code: Code 810

Effective Date: October 7, 2011

Expiration Date: October 7, 2012

BUILDING WARDEN EVACUATION CHECKLIST

Date of Evacuation: _____ Building Warden: _____

Start Time: _____ Evacuation Complete: _____ hrs.

- Type of Evacuation:
- | | |
|---|-------------------------------------|
| <input type="checkbox"/> Evacuation Drill | <input type="checkbox"/> Flooding |
| <input type="checkbox"/> Fire Evacuation | <input type="checkbox"/> Bomb Alert |
| <input type="checkbox"/> Smoke/Fumes | <input type="checkbox"/> Other |

Floor Warden Check-in:	Evacuation Complete Yes/No	Personnel Remaining	Location
Ground Floor			
First Floor			
Second Floor			
Penthouse			
Sweep Team (as required)			
Total Personnel Remaining in Building ____:			

Remarks/Notes: _____

Please return completed form following any evacuation to:
Code 803.2 Safety/ Kenneth.e.volante@nasa.gov (757-824-1159)

NASA/GSFC/WFF Magazine Area EMERGENCY PLAN



Issuing Organization: Code 810

Issuing Organization Code: Code 810

Effective Date: October 7, 2011

Expiration Date: October 7, 2012

BUILDING WARDEN EVACUATION CHECKLIST

EMERGENCY EVACUATION	REENTRY PROCUDURES
<ol style="list-style-type: none"> 1. Ensure that all personnel evacuate your area of responsibility and leave the building. 2. Use stairwells, not building elevators. 3. Report to the Building Warden in the lobby and assist in crowd control. 4. Assist personnel to an approved "Refuge Area" or out of the building to an evacuation assemble area. 	<ol style="list-style-type: none"> 1. Reenter only when directed by the Building Warden. 2. Return to assigned work areas. 3. Survey the area to ensure nothing is missing. 4. Reestablish normal interfaces.

CRITICAL OPERATIONS OR SPECIAL OPERATIONS

1. Perform an orderly "Pre-evacuation," i.e., a reduction of personnel in affected areas of the building.
2. Direction will be given by the Building Warden.
3. Assist personnel to an approved "Refuge Area" or out of the building to an evacuation assembly area.

NASA/GSFC/WFF Magazine Area EMERGENCY PLAN



Issuing Organization: Code 810

Issuing Organization Code: Code 810

Effective Date: October 7, 2011

Expiration Date: October 7, 2012

NASA/GSFC/WFF Magazine Area EMERGENCY PLAN



Issuing Organization: Code 810

Issuing Organization Code: Code 810

Effective Date: October 7, 2011

Expiration Date: October 7, 2012

Attachment 2

CRITICAL OPERATIONS REQUIRING IMMEDIATE ACTION PRIOR TO EVACUATION

Note 01: If conditions appear to Immediate Danger to Life or Health, immediate evacuation of all personnel, regardless of status of hazardous material, is mandatory. The Operational Safety Supervisor (OSS) will determine IDLH.

Note 02: The operation supervisor will determine the minimum personnel to safe the operation prior to evacuation. All personnel not involved will evacuate to the primary (M 24), or secondary (F10 South Parking Lot) evacuation points.

Building M15 Conditions to require immediate action prior to evacuation

1. Pressure Testing: Release pressure to the chamber
2. Igniter Testing: Remove power source. Ground the system.
3. Lifting operations: Lower the lift to the deck. Ground the system.
4. Ordnance Movement: Move the ordnance to a safe location, under shelter, and out of the weather.

Magazine Area Conditions to require immediate action prior to evacuation

1. Ordnance Movement: Move the ordnance to a safe location, under shelter, and out of the weather.
2. Truck/Container Loading or Unloading: Secure the doors of the container. Move all ordnance not already in the container to a safe location, under shelter, and out of the weather.

NASA/GSFC/WFF Magazine Area EMERGENCY PLAN



Issuing Organization: Code 810

Issuing Organization Code: Code 810

Effective Date: October 7, 2011

Expiration Date: October 7, 2012

Attachment 3

AREA WARDENS AND BUILDING WARDENS

The following are assignments for AREA WARDENS AND BUILDING WARDENS, for NASA/GSFC/WFF Magazine Area:

Area Warden for the Magazine Area is the Facility Operations Manager, and Alternate:

F.O.M. Charles Brodell, Sounding Rocket Program Office
Building E106, Room 313. Phone extension 1827

F.O.M. Alternate Ernest Cornwell, NASA Sounding Rocket Operations Contract
Building M 16, Room 107. Phone extension 2548

Building Wardens are the Building Users

Building M 16 (Also, Building M 09, M 10, M 11, M 12, M 14, M 20, M 22, M 27)

Primary: Kevin Mackey, NASA Sounding Rocket Operations Contract
Building M 16, Room 106 Phone Extension 1632

Alternate: Ernest Cornwell, NASA Sounding Rocket Operations Contract
Building M 16, Room 107 Phone Extension 2548

Building M 15
Primary 1: Reginald Justice, NASA Sounding Rocket Operations Contract
Building M 16 Room 105 Phone Extension 1546
Primary 2: Russel Laman, NASA Sounding Rocket Operations Contract
Building M 16 Room 105 Phone Extension 1548
Secondary 1: William Payne, NASA Sounding Rocket Operations Contract
Building M 16 Room 105 Phone Extension 2387
Secondary 2: Sean Stabler, NASA Sounding Rocket Operations Contract
Building M 16 Room 105 Phone Extension 1677

Building Phone Numbers:

Magazine Entrance: Extension 5083
M 15 Extension 5327/ External: 757-824-1388
M 16 Extension 5088
M 20 Extension
M 22 Extension 5093

NASA/GSFC/WFF Magazine Area EMERGENCY PLAN



Issuing Organization: Code 810

Issuing Organization Code: Code 810

Effective Date: October 7, 2011

Expiration Date: October 7, 2012

M 27 (Loading Dock) Extension 5084

Attachment 4 **EMERGENCY ACTION PLAN** **MAGAZINE AREA**

Emergency Action and Fire Fighting Plan for Buildings M-9, M-10, M-11, M-12, M-14, M-15, M-16, M-20, M-22, M-25, M-100, M-183, M-184.

Note: A copy of this document will be posted on the inside entrances of every affected building, in plain view. This document will be reviewed yearly, and updated as changes occur.

In case of Fire, Explosion, ETC., the following Action must be taken:

- Upon sighting of an emergency, evaluate the situation; take corrective action consistent with circumstances for safety or personnel and building.
- All personnel in building must be warned to evacuate to the nearest safe area. **DO NOT LOCK ANY DOOR.** The primary safe area (“Rally Point”) is M-24, the former loading dock. The Secondary safe area is F-10, South Side. Account for all personnel.
- Locate a telephone and report the emergency. The last person from the emergency site, and the Magazine Manager, will make themselves available to Fire response personnel, in order to properly respond to the emergency.
- Personnel must stay out of the emergency area until otherwise notified.
- If emergency exists in another area, under no circumstances will personnel from these buildings go to that area, unless so notified.
- Current emergency telephone number is – Extension 911.

When practical, notify the following personnel:

Chuck Brodell
Extension x1827
Cell 443-235-7708

Ernest Cornwell
Extension x2548
Residence 757-665-1235
Cell 757-709-4232

Kevin Mackey
Extension x1632
Residence 757-824-0533
Cell 757-894-8738

NASA/GSFC/WFF Magazine Area EMERGENCY PLAN



Issuing Organization: Code 810

Issuing Organization Code: Code 810

Effective Date: October 7, 2011

Expiration Date: October 7, 2012

//Original Signed *7 October 2011*

Charles M Brodell Date
Facilities Operation Manager / M area

Concur:

//Original Signed// *7 October 2011*

Kenneth E. Volante Date
Safety Point of Contact

NASA/GSFC/WFF Magazine Area EMERGENCY PLAN



Issuing Organization: Code 810

Issuing Organization Code: Code 810

Effective Date: October 7, 2011

Expiration Date: October 7, 2012

Attachment 5: Building Evacuation Floor Plans

M-15 EMERGENCY EVACUATION PLAN

FOM CHUCK BRODELL x1827
FOM ERNIE CORNWELL x2548

FLOOR ZONE WARDENS

Z1 ERNIE CORNWELL x2548
KEVIN MACKEY x1632


NSROC SAFETY

KEN DIGIULIAN x2395
HERB HAUGH x1402

SEE CM45875 FOR FIRE PLAN

REVIEWED BY	DATE

LEGEND		QTY.
	EYE WASH STATION	1
	FIRE EXTINGUISHER	5
	ALARM PULL BOX	12
	AUTOMATED EXTERNAL DEFIBRILLATOR	2



YOU ARE HERE
GO TO BLDG. M-24
SECONDARY EVACUATION POINT
GO TO BLDG. F-10 SOUTH PARKING

**BUILDING NO. M-15
FLOOR PLAN**

GRAPHIC SCALE IN FEET

09/29/09

NASA/GSFC/WFF Magazine Area EMERGENCY PLAN



Issuing Organization: Code 810

Issuing Organization Code: Code 810

Effective Date: October 7, 2011

Expiration Date: October 7, 2012

M-16 EMERGENCY EVACUATION PLAN

FOM CHUCK BRODELL x1827
FOM ERNIE CORNWELL x2548


FLOOR ZONE WARDENS

Z1 ERNIE CORNWELL x2548
KEVIN MACKEY x1632

NSROC SAFETY

KEN DIGIULIAN x2395
HERB HAUGH x1402

SEE CM45875 FOR FIRE PLAN



YOU ARE HERE
GO TO BLDG. M-24
SECONDARY EVACUATION POINT
GO TO BLDG. F-10 SOUTH PARKING LOT

REVIEWED BY	DATE

LEGEND		QTY.
	FIRE EXTINGUISHER	5
	ALARM PULL BOX	13
	AUTOMATED EXTERNAL DEFIBRILLATOR	2

**BUILDING NO. M-16
FLOOR PLAN**



CM4-
09/28/09

NASA/GSFC/WFF Magazine Area EMERGENCY PLAN



Issuing Organization: Code 810

Issuing Organization Code: Code 810

Effective Date: October 7, 2011

Expiration Date: October 7, 2012

M-20 EMERGENCY EVACUATION PLAN

FOM ERNIE CORNWELL x2548
FOM CHUCK BRODELL x1827


FLOOR ZONE WARDENS

Z1 ERNIE CORNWELL x2548

NSROC SAFETY

KEN DIGIULIAN x2395
HERB HAUGH x1402

SEE CM45875 FOR FIRE PLAN




YOU ARE HERE
EVACUATION – GO TO BLDG. M-24
SECONDARY EVACUATION POINT
GO TO OLD LOADING DOCK
OUTSIDE OF M AREA GATE

REVIEWED BY	DATE

LEGEND		QTY.
E	FIRE EXTINGUISHER	2
P	EOS (PANIC BUTTON)	5



**BUILDING NO. M-20
FLOOR PLAN**



CM70186 REV E
09/28/09

NASA/GSFC/WFF Magazine Area EMERGENCY PLAN



Issuing Organization: Code 810

Issuing Organization Code: Code 810

Effective Date: October 7, 2011

Expiration Date: October 7, 2012

Attachment 6

Overview of Wallops Flight Facility Magazine Area showing Primary and Secondary Rally Points

